

SAFETY DATA SHEET

WB PRIMER

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name WB PRIMER 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Lacquering of wooden floors. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Junckers Industrier A/S** Vaerftsvej 4 4600 Koege Denmark Tel. +45 70 80 30 00 E-mail productsafety@junckers.dk Revision 18/11/2024 SDS Version 3.0 Date of previous version 09/09/2024 (2.2) 1.4. Emergency telephone number The National Poisons Information Centre (NPIC) Public: +353 (0) 1 809 2166 (7 days a week, 8am- 10pm) Healthcare professionals: +353 (0) 1 809 2566 (24 h service) See also section 4 "First aid measures" SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP). 2.2. Label elements Hazard pictogram(s) Not applicable. Signal word Not applicable. Hazard statement(s) Not applicable. Precautionary statement(s) General Prevention Response Storage



Disposal

Hazardous substances

None known.

Additional labelling

EUH208, Contains 5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1)), 1,2-Benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction. EUH210, Safety data sheet available on request. The product contains a biocidal product.

VOC

VOC content: $\leq 15 \text{ g/L}$

MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L)

2.3. Other hazards

▼ Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
(2- Methoxymethylethoxy)propan ol	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH: 01-2119450011-60 Index No.:	1-2%		[1]
1,2-Benzisothiazol-3(2H)-one (BIT)	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60 Index No.: 613-088-00-6	<0,036%	Acute Tox. 4, H302 (ATE: 450.00 mg/kg) Skin Irrit. 2, H315 Skin Sens. 1A, H317 (SCL: 0.036 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
5-Chloro-2-methyl-2H- isothiazol-3-one/2-Methyl-2H- isothiazol-3-one (3:1) (CMIT/MIT (3:1))	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48 Index No.: 613-167-00-5	<0,0015%	EUH071 Acute Tox. 3, H301 (ATE: 64.00 mg/kg) Acute Tox. 2, H310 (ATE: 87.00 mg/kg) Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Eye Irrit. 2, H319 (SCL: 0.06 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.



SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. ▼ Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.
- 6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc.
- Keep unauthorized persons away from the spill
- 6.3. Methods and material for containment and cleaning up



Use sand, sawdust, soil, vermiculite or similar to collect liquid material. Subsequently, place in a suitable waste container.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

> 5 °C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

(2-Methoxymethylethoxy)propanol Long term exposure limit (8 hours) (mg/m³): 308 Long term exposure limit (8 hours) (ppm): 50 Annotations: IOELV = Indicative Occupational Exposure Limit V

IOELV = Indicative Occupational Exposure Limit Values are health based limits set under the Chemical Agents Directive (98/24/EC).

Sk = Substance, which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body.

2024 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024).

▼ DNEL

(2-Methoxymethylethoxy)propanol

Long term - Systemic effects - General population

Long term - Systemic effects - Workers

(2-methoxymethylethoxy)propanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	121 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	283 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	37,2 mg/m ³
Long term – Systemic effects - Workers	Inhalation	308 mg/m ³
Long term – Systemic effects - General population	Oral	36 mg/kg bw/day
1,2-Benzisothiazol-3(2H)-one (BIT)		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,345 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	0,966 mg/kg bw/day

Inhalation

Inhalation

5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))

1,2 mg/m³

6,81 mg/m³



Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	0,02 mg/m ³
Long term – Local effects - Workers	Inhalation	0,02 mg/m ³
Short term – Local effects - General population	Inhalation	0,04 mg/m ³
Short term – Local effects - Workers	Inhalation	0,04 mg/m ³
Long term – Systemic effects - General population	Oral	0,09 mg/kg bw/day
Short term – Systemic effects - General population	Oral	0,11 mg/kg bw/day

▼ PNEC

(2-Methoxymethylethoxy)propanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		19 mg/l
Freshwater sediment		70,2 mg/kg dw
Intermittent release (freshwater)		190 mg/l
Marine water		1,9 mg/l
Marine water sediment		7,02 mg/kg dw
Sewage treatment plant		4168 mg/l
Soil		2,74 mg/kg dw

1,2-Benzisothiazol-3(2H)-one (BIT)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4,03 µg/l
Freshwater sediment		49,9 µg/kg dw
Intermittent release (freshwater)		1,1 µg/l
Intermittent release (marine water)		0,11 µg/l
Marine water		0,403 µg/l
Marine water sediment		4,99 µg/kg dw
Sewage treatment plant		1,03 mg/l
Soil		3 mg/kg dw

5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H	-isothiazol-3-one (3:1) (CMIT/MIT (3:1))	
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3,39 µg/l
Freshwater sediment		0,027 mg/kg dw
Intermittent release (freshwater)		3,39 µg/l
Intermittent release (marine water)		3,39 µg/l
Marine water		3,39 µg/l
Marine water sediment		0,027 mg/kg dw
Sewage treatment plant		0,23 mg/l
Soil		0,01 mg/kg dw

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures



The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	R

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,4	> 480	EN374-2, EN374-3, EN388	

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid Colour Various colours Odour / Odour threshold Faint рΗ 8-9 Density (q/cm³) 1,03-1,05 Kinematic viscosity No relevant or available data due to the nature of the product. Particle characteristics Does not apply to liquids. Phase changes Melting point/Freezing point (°C) No relevant or available data due to the nature of the product. Softening point/range (°C) Does not apply to liquids. Boiling point (°C) No relevant or available data due to the nature of the product. Vapour pressure No relevant or available data due to the nature of the product. Relative vapour density

No relevant or available data due to the nature of the product.



Decomposition temperature (°C) No relevant or available data due to the nature of the product. Data on fire and explosion hazards Flash point (°C) No relevant or available data due to the nature of the product. Flammability (°C) No relevant or available data due to the nature of the product. Auto-ignition temperature (°C) No relevant or available data due to the nature of the product. Lower and upper explosion limit (% v/v) No relevant or available data due to the nature of the product. Solubility Solubility in water Soluble n-octanol/water coefficient (LogKow) No relevant or available data due to the nature of the product. Solubility in fat (q/L) No relevant or available data due to the nature of the product. 9.2. Other information VOC (g/L) ≤ 15 Other physical and chemical parameters No data available. Oxidizing properties No relevant or available data due to the nature of the product. SECTION 10: Stability and reactivity 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1)) Rat, Charles River CD, male Oral LD50 64 mg/kg
Product/substance	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))
Species:	Rabbit, Albino, male
Route of exposure:	Dermal
Test:	LD50
Result:	87 mg/kg
Product/substance	5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT (3:1))
Test method:	OECD 403



Species: Route of exposure: Test:	Rat, Sprague-Dawley, male/female Inhalation LC50
Result:	0,17 mg/l
Skin corrosion/irritation Based on available data	a, the classification criteria are not met.
Serious eye damage/irritat Based on available data	tion a, the classification criteria are not met.
	a, the classification criteria are not met.
•	ubstances that may trigger an allergic reaction in already sensitized persons.
	a, the classification criteria are not met.
	a, the classification criteria are not met.
	a, the classification criteria are not met.
	a, the classification criteria are not met.
STOT-repeated exposure Based on available data Aspiration hazard	a, the classification criteria are not met.
	a, the classification criteria are not met.
Long term effects None known.	Tidzai us
Endocrine disrupting prop	erties oes not contain any substances known to have hormone-disrupting properties in relation to
Other information	

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity	
Product/substance 1,2-Benzisothiazol-3(2H)-one (BIT)	
Test method: OECD 201	
Species: Selenastrum capricornutum	
Duration: 72 hours Test: ErC50	
Test: ErC50 Result: 0,11 mg/l	
Kesuit. 0,11 mg/i	
Product/substance 1,2-Benzisothiazol-3(2H)-one (BIT)	
Species: Selenastrum capricornutum	
Duration: 72 hours	
Test: NOErC	
Result: 0,0403 mg/l	
12.2. ▼Persistence and degradability	
Product/substance (2-Methoxymethylethoxy)propanol	
Result: 79 %	
Conclusion: Readily biodegradable	
Test: OECD 301 F	
Product/substance 5-Chloro-2-methyl-2H-isothiazol-3-one/2-Methyl-2H-isothiazol	-3-one (3:1) (CMIT/MIT (3:1))
Result: 62 %	
Conclusion: Readily biodegradable	
Test: OECD 301 B	
12.3. Bioaccumulative potential	



LogKow		(2-Methoxymethylethox 0,004				
Conclus	sion:	No potential for bioaccu	imulation			
Product BCF: LogKow Conclus		1,2-Benzisothiazol-3(2H) 6,62 0,7 No potential for bioaccu				
Product LogKow Conclus		5-Chloro-2-methyl-2H-is 0,75 No potential for bioaccu	othiazol-3-one/2-Methyl-2H-isoth ımulation	iazol-3-one (3:1) (CMIT	/MIT (3:1))	
No dat 12.5. Resu This m 12.6. Endo This m to the o	ixture/produ ocrine disrup ixture/produ environment er adverse ef	ting properties ct does not contain any sub	ostances known to fulfil the cri ostances considered to have e			
SECTION	13: Disposal	considerations				
Contamin Packag	ated packing jing containir		than those mentioned in 08 01 1 must be disposed of similarly			
	14.1 14 UN / ID UN	.2 N proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
DR			-	-	-	-
DG			-	-	-	-
ТА			-	-	-	-
Additiona Not da 14.6. Spec Not ap 14.7. Mar	nental hazaro l information ngerous goo cial precautio plicable.	ds according to ADR, IATA a				
		ory information				

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Maternity Protection Act 1994 (34/1994) with later amendments.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

S.I. No. 199/2007 - Limitation of Emissions of Volatile Organic Compounds Due to the Use of Organic Solvents in Certain Paints, Varnishes and Vehicle Refinishing Products Regulations 2007.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH = CLP-specific hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of classification and labelling of chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic



PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = Specific Concentration Limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time Weighted Average UN = United Nations UVCB = Substances of Unknown or Variable composition, Complex reaction products or Biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by

ULS Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en